

Getac X600 Rugged Notebook



Highlights

Rugged and ready when needed. Getac X600 deliver spacious 15.6" screen and cutting-edge computing in a fully-rugged notebook chassis, the X600 enables power and productivity wherever you go.



X600 is the perfect fit for defense, transportation and logistics, oil and gas and other industries. This fully-rugged laptop comes with its Intel 11th gen i5 / i7 / i9 processor, (up to 8 cores), optional NVIDIA Quadro RTX3000 discrete graphics controller, and up to 128GB DDR4 RAM available. Its dual-fan design keeps each of these computing components cool and capable, even during the most intensive tasks, while data storage can be expanded up to 6TB.

Engineered to survive and work in outdoor extremes. X600 will operate in rain, dust, shock, vibration, and can be salt fog certified. The X600 also meets ANSI/UL 12.12.01 standards (per request) for Class 1 Division 2 hazardous locations, giving confidence to those looking for intrinsic device safety in explosive atmospheres.

- 15.6" touch, 1920 x 1080
- Sunlight readable
- Intel 11th generation i5 / i7 / i9
- Windows 11 Pro
- MIL-STD-461G/810H & IP66
- Operating temperature -29° to 63°C
- Wide range of options
- 3 years warranty



BLUE LINE
IT for Demanding Environments

- has more than 30 years experience
- delivers reliable IT solutions for demanding environments
- builds compact and high performance solutions
- focuses on long duration, 24/7-operation, and ruggedness
- is ISO 9001:2015-certified
- is known for providing the best assistance and services in all phases.

Getac X600 Rugged Notebook

Specifications

Model Type

Rugged notebook

Rugged Feature

MIL-STD-810H certified & IP66 certified
MIL-STD-461G certified
Vibration & drop resistant
Option for salt fog certification
Option for ANSI/UL 121201, CSA C22.2 NO. 213 (Class I, Division 2, Groups A, B, C, D)

Ingress Protection

Operating temperature -29°C to 63°C
Storage temperature -51°C to 71°C
Humidity 95% RH (non-condensing)

Operating System

Windows 11 Pro

Processor

Intel Core i5-11500H vPro (max 4.6GHz) with turbo boost technology, 12MB smart cache
Intel Core i7-11850H vPro (max 4.8GHz) with turbo boost technology, 24MB smart cache
Intel Core i9-11950H vPro (max 4.9GHz) with turbo boost technology, 24MB smart cache

Graphic Controller

Intel UHD Graphics
Option for NVIDIA Quadro RTX3000 6GB discrete graphics controller *

Display

15.6"	1920 x 1080, 16:9, FHD	TFT LCD LumiBond with sunlight readable technology
-------	------------------------	--

Brightness

1000 nits

Pointing Device

Touchscreen

Option for projected capacitive multi touch (supports gloves)

Touchpad

Touchpad with two buttons

RAM

16GB DDR4 (expandable to 32GB / 64GB / 128GB)

Storage

Standard SSD 512GB
Option for SSD 1TB / 2TB PCIe
Option for 2nd storage: SSD 512GB / 1TB / 2TB PCIe
Option for 3rd storage: SSD 512GB / 1TB / 2TB PCIe

Keyboard

LED backlit membrane keyboard with integrated numeric keypad

Input / Output

1 x FHD webcam
1 x Thunderbolt 4 Type-C
1 x audio in/out combo
1 x DC in Jack
1 x HDMI 2.0
2 x LAN (RJ45)
1 x display port
4 x USB 3.2 Gen 2 Type-A
1 x docking connector
1 x serial port (9-pin, D-sub)
1 x external VGA (15-pin, D-sub) x 1 or 2nd serial port (9-pin, D-sub)
Option for 1 x SIM card slot (Mini-SIM, 2FF)
Option for RF antenna pass-through for GPS, WWAN and WLAN

Communication Interface

2.5G BASE-T Ethernet
Intel Wi-Fi 6E AX210, 802.11ax
Bluetooth (v5.2)
Option for dedicated GPS
Option for 4G LTE mobile broadband with integrated GPS

Security



Getac X600 Rugged Notebook

TPM 2.0
Kensington lock
Smart card reader
Intel vPro Technology

Expansions Slots

Smart card reader
Option for expressCard 54 or PCMCIA type II
Option for SD card reader

Power Supply

AC adapter (150W, 100 to 240VAC, 50/60Hz)
* Option for AC adapter (230W, 100 to 240VAC, 50/60Hz)
2 x battery (10.8V, 6900mAh)

Dimension and Weight

15.6" H 322 x W 412 x D 52.5mm 4.41kg

Accessories Included

Battery (10.8V, 6900mAh)
AC adapter (150W, 100 to 240VAC, 50/60Hz) or AC adapter
(230W, 100 to 240VAC, 50/60Hz)
Capacitive stylus with tether

Accessories Optional

Carry bag
Battery (10.8V, 6900mAh)
Multi-Bay charger (Dual-Bay)
AC adapter (150W, 100 to 240VAC, 50/60Hz)
AC adapter (230W, 100 to 240VAC, 50/60Hz)
MIL-STD-461 AC adapter (230W, 100 to 240VAC)
DC-DC vehicle adapter (230W, 11 to 32VDC)
Capacitive stylus with tether
Protection film
Vehicle dock
Office dock
Spare SSD kit

Warranty and After Sales Support

Standard 3 years

