


Cleanroom Touch Keyboard



BLUE LINE
IT for Demanding Environments

Blue Line A/S | Kappa 8 | 8382 Hinnerup, Denmark
T +45 8678 5000 | www.blue-line.com


Cleanroom Touch Keyboard



BLUE LINE
IT for Demanding Environments

Blue Line A/S | Kappa 8 | 8382 Hinnerup, Denmark
T +45 8678 5000 | www.blue-line.com

Cleanroom Touch Keyboard



Highlights

A touch-sensitive cleanroom keyboard solution designed for sterile environments such as cleanrooms, life science facilities, pharmacies, and laboratories. The completely smooth glass surface without crevices eliminates contamination points and allows thorough disinfection – again and again. Ideal for applications where standard keyboards cannot meet hygienic requirements.

A touch-sensitive cleanroom keyboard solution designed for sterile environments such as cleanrooms, life science facilities, pharmacies, and laboratories. The completely smooth glass surface without crevices eliminates contamination points and allows thorough disinfection – again and again. Ideal for applications where standard keyboards cannot meet hygienic requirements.

- Glass surface in ABS housing
- Capacitive touch keyboard & pad
- Wired USB connection
- Operation with gloves
- Easy to clean & disinfect
- Withstands tough detergents: iso-propyl alcohol, non-deionized water, VHP, Spor-Klenz™, Klercide, Actisan, LpH®, Vesphene® and more
- No moving parts for maximum reliability



BLUE LINE
IT for Demanding Environments

Blue Line A/S | Kappa 8 | 8382 Hinnerup, Denmark
T +45 8678 5000 | www.blue-line.com

Cleanroom Touch Keyboard

- Various language layouts
- IP67 protection rating
- Keylock function

Specifications

Model Type

Cleanroom Touch Keyboard

Construction

Tempered glass front (2mm) in robust ABS housing

Ingress Protection

IP67

Environment

Operating temperature	0°C to +40°C
Storage temperature	-20°C to +60°C
Humidity	10 to 90% @ 40°C (non-condensing)

Certification

CE
FCC
EN 60601-1

Number of Keys

105

Mouse Function

Capacitive touchpad



Cleanroom Touch Keyboard

Interface

USB Type-C on keyboard (data and power). Delivered with detachable USB-A to USB-C cable.

Operating System

Windows

MacOSX

Android

Dimension and Weight

H 20 x W 436 x D 160mm

0.85kg

Accessories Included

USB cable (USB-A to USB-C)

Warranty and After Sales Support

Standard 1 year (option for 3 years)

Ordering Information

TBD

