







### **Highlights**

Rugged and ready when needed. Getac X600 deliver spacious 15.6" screen and cutting-edge computing in a fully-rugged notebook chassis, the X600 enables power and productivity wherever you go.

X600 is the perfect fit for defense, transportation and logistics, oil and gas and other industries. This fully-rugged laptop comes with its Intel 11th gen i5 / i7 / i9 processor, (up to 8 cores), optional NVIDIA Quadro RTX3000 discrete graphics controller, and up to 128GB DDR4 RAM available. Its dual-fan design keeps each of these computing components cool and capable, even during the most intensive tasks, while data storage can be expanded up to 6TB.

Engineered to survive and work in outdoor extremes. X600 will operate in rain, dust, shock, vibration, and can be salt fog certified. The X600 also meets ANSI/UL 12.12.01 standards (per request) for Class 1 Division 2 hazardous locations, giving confidence to those looking for intrinsic device safety in explosive atmospheres.

- 15.6" touch, 1920 x 1080
- Sunlight readable
- Intel 11th generation i5 / i7 / i9
- Windows 11 Pro
- MIL-STD-461G/810H & IP66
- Operating temperature -29° to 63°C
- Wide range of options
- 3 years warranty

### **Specifications**

#### **Model Type**

Rugged notebook

#### **Rugged Feature**

MIL-STD-810H certified & IP66 certified

MIL-STD-461G certified

Vibration & drop resistant

Option for salt fog certification

Option for ANSI/UL 121201, CSA C22.2 NO. 213 (Class I, Division 2, Groups A, B, C, D)

#### **Environment**

Operating temperature -29°C to 63°C Storage temperature -51°C to 71°C

Humidity 95% RH (non-condensing)

#### **Operating System**



Windows 11 Pro

#### **Processor**

Intel Core i5-11500H vPro (max 4.6GHz) with turbo boost technology, 12MB smart cache Intel Core i7-11850H vPro (max 4.8GHz) with turbo boost technology, 24MB smart cache Intel Core i9-11950H vPro (max 4.9GHz) with turbo boost technology, 24MB smart cache

#### **Graphic Controller**

Intel UHD Graphics

Option for NVIDIA Quadro RTX3000 6GB discrete graphics controller \*

#### **Display**

TFT LCD

15.6" 1920 x 1080, 16:9, FHD LumiBond with sunlight readable technology

#### **Brightness**

1000 nits

#### **Pointing Device**

Touchscreen Option for projected capacitive multi touch (supports

gloves)

Touchpad Touchpad with two buttons

#### **RAM**

16GB DDR4 (expandable to 32GB / 64GB / 128GB)

#### **Storage**

Standard SSD 512GB

Option for SSD 1TB / 2TB PCIe

Option for 2nd storage: SSD 512GB / 1TB / 2TB PCIe Option for 3rd storage: SSD 512GB / 1TB / 2TB PCIe



#### **Keyboard**

LED backlit membrane keyboard with integrated numeric keypad

#### **Input / Output**

- 1 x FHD webcam
- 1 x Thunderbolt 4 Type-C
- 1 x audio in/out combo
- 1 x DC in Jack
- 1 x HDMI 2.0
- 2 x LAN (RJ45)
- 1 x display port
- 4 x USB 3.2 Gen 2 Type-A
- 1 x docking connector
- 1 x serial port (9-pin, D-sub)
- 1 x external VGA (15-pin, D-sub) x 1 or 2nd serial port (9-pin, D-sub)

Option for 1 x SIM card slot (Mini-SIM, 2FF)

Option for RF antenna pass-through for GPS, WWAN and WLAN

#### **Communication Interface**

2.5G BASE-T Ethernet

Intel Wi-Fi 6E AX210, 802.11ax

Bluetooth (v5.2)

Option for dedicated GPS

Option for 4G LTE mobile broadband with integrated GPS

#### **Security**

**TPM 2.0** 

Kensington lock

Smart card reader

Intel vPro Technology

#### **Expansions Slots**

Smart card reader

Option for expressCard 54 or PCMCIA type II



Option for SD card reader

#### **Power Supply**

AC adapter (150W, 100 to 240VAC, 50/60Hz)

\* Option for AC adapter (230W, 100 to 240VAC, 50/60Hz)

2 x battery (10.8V, 6900mAh)

#### **Dimension and Weight**

15.6"

H 322 x W 412 x D 52.5mm

4.41kg

#### **Accessories Included**

Battery (10.8V, 6900mAh)

AC adapter (150W, 100 to 240VAC, 50/60Hz) or AC adapter (230W, 100 to 240VAC, 50/60Hz)

Capacitive stylus with tether

#### **Accessories Optional**

Carry bag

Battery (10.8V, 6900mAh)

Multi-Bay charger (Dual-Bay)

AC adapter (150W, 100 to 240VAC, 50/60Hz)

AC adapter (230W, 100 to 240VAC, 50/60Hz)

MIL-STD-461 AC adapter (230W, 100 to 240VAC)

DC-DC vehicle adapter (230W, 11 to 32VDC)

Capacitive stylus with tether

Protection film

Vehicle dock

Office dock

Spare SSD kit

#### **Warranty and After Sales Support**

Standard 3 years

