









Highlights

This ultimate fully-rugged Android tablet is the ideal solution for improved mobile productivity during a workday. Engineered to be thin and light with an ergonomic design that makes the tablet easy to hold in one hand. The ZX10 is powered by the Android 11 operating system and is verified by Google as an Android Enterprise Recommended Rugged Device. IP66-certified, the ZX10 can be operated safely in rain or high-pressure water jets and makes it ideal to perform for mission-critical field operations in its class. ZX10's design is optimised for a wide variety of configurable features and no-compromise ruggedness.

- 10.1" touch, 1920 x 1200
- Sunlight readable
- Android 11.0
- MIL-STD-810H & IP66 certified
- Operating temperature -29°C to 63°C
- Wide range of options
- 3 years warranty

Specifications

Model Type

Rugged tablet

Rugged Feature

MIL-STD-810H & IP66 certified

Vibration & 6ft (1.8m) drop resistant

Option for ANSI/UL 121201, CSA C22.2 NO. 213 (Class I, Division 2, Groups A, B, C, D)

Environment

Operating temperature -29°C to 63°C Storage temperature -51°C to 71°C

Humidity 95% RH (non-condensing)

Operating System

Android 11.0

Processor

Qualcomm Snapdragon 660, Octa-core 1.95GHz (up to 2.2GHz)

Graphic Controller



Qualcomm Adreno 512 GPU

Display

TFT LCD

10.1"

1920 x 1200, 8:5, WUXGA

LumiBond with sunlight readable

technology

Brightness

800 nits

Pointing Device

Projected capacitive multi touch (supports gloves)

RAM

4GB LPDDR4

Option for 6GB LPDDR4

Storage

eMMC 64GB

Option for eMMC 128GB

Keyboard

Power button

4 tablet programmable buttons

Input / Output

- 1 x 8M pixels webcam
- 1 x 16M pixels autofocus rear camera
- 1 x audio in/out combo
- 1 x DC in Jack
- 1 x USB 3.2 Gen 1 type-C w/ DP & PD



1 x USB 2.0 (Host)

1 x MicroSD

1 x docking connector

Option for RF antenna pass-through for GPS, WLAN and WWAN

Communication Interface

Wi-Fi 802.11ac

Bluetooth (v5.0)

Dual Micro SIM

Dedicated GPS

Option for 4G LTE mobile broadband

Expansions Slots

Kensington lock

Option for HF RFID/NFC combo reader

Option for smart card reader

Power Supply

AC adapter (65W, 100 to 240VAC, 50/60Hz)

2 x Li-ion battery (3.84V, 4990mAh)

LifeSupport battery swappable technology

Option for 2 x high capacity Li-ion battery (3.84V, 9980mAh)

Dimension and Weight

7"

H 192 x W 275 x D 17.9mm

1.04kg

Accessories Included

Battery (3.84V, 4990mAh)

AC adapter (65W, 100 to 240VAC, 50/60Hz)

Capacitive stylus with tether

Accessories Optional

Carry bag



Battery (3.84V, 4990mAh)

High capacity Li-ion battery (3.84V, 9980mAh)

Multi-Bay charger (Dual-Bay)

Multi-Bay charger (Eight-Bay)

AC adapter (65W, 100 to 240VAC, 50/60Hz)

Office dock AC adapter (65W, 100 to 240VAC)

DC-DC vehicle adapter (120W, 22 to 32VDC)

Capacitive stylus with tether

Protection film

Hand strap

Shoulder strap (2-point)

Shoulder harness (4-point, handsfree)

Vehicle dock

Office dock

100W type-C adapter

Hard handle

Warranty and After Sales Support

Standard 3 years