

# Mobile Operator Station T2000



**BLUE LINE**  
IT for Demanding Environments

Blue Line A/S | Kappa 8 | 8382 Hinnerup, Denmark  
T +45 8678 5000 | [www.blue-line.com](http://www.blue-line.com)

# Mobile Operator Station T2000



**BLUE LINE**  
IT for Demanding Environments

Blue Line A/S | Kappa 8 | 8382 Hinnerup, Denmark  
T +45 8678 5000 | [www.blue-line.com](http://www.blue-line.com)

# Mobile Operator Station T2000



**BLUE LINE**  
IT for Demanding Environments

Blue Line A/S | Kappa 8 | 8382 Hinnerup, Denmark  
T +45 8678 5000 | [www.blue-line.com](http://www.blue-line.com)

# Mobile Operator Station T2000

## Highlights

---

The most complete operator station offering ultimate mobility and ergonomics for IT operation in cleanrooms and biotech. Enable full digitization of workflows and achieve a flexible position that is prepared for future needs for changes in production.

The Mobile Operator Station T2000 delivers essential mobility and ergonomics for IT operations in cleanrooms and biotech environments. The T2000 maintains full functionality while offering a streamlined and cost-effective approach to mobile cleanroom technology.

Eliminate infrastructure costs that come with traditional fixed HMI solutions with this modern cleanroom solution. One mobile system can effectively replace multiple fixed systems.

Maintenance and service on a mobile HMI unit is simple and does not require shutdown of the cleanroom.

- Ultimate mobility and ergonomics for IT operation in cleanrooms and biotech
- Meets GMP and FDA requirements for cleanroom operation
- IP65 water and dustproof
- Withstands all known cleaning agents and disinfectants
- Fixed ~650Wh battery for continuous operation
- Stainless Steel AISI 316L (work surface available in different materials)
- Electric height adjustment for seated and standing operation
- Lockable casters
- Equippable with a single or dual screen, mouse, hinged keyboard, scanner, printer, etc.
- Wireless operation (WIFI and Bluetooth)
- Powered by 90-264V AC and option for integrated battery
- Seamless transition between battery and AC power
- Battery power status display
- Long product life cycle
- Configuration according to your requirements



# Mobile Operator Station T2000

## Specifications

---

### Model Type

---

Mobile Operator Station

### Construction

---

Acid resistant stainless steel AISI 316L

### Cleaning

---

All known cleaning agents and disinfectants

### Casters

---

4 x lockable casters

### Cooling

---

Fanless

### Ingress Protection

---

IP65

### Environment

---

Operating temperature	0°C to +40°C
Storage temperature	-20°C to +60°C
Humidity	10 to 90% @ 40°C (non-condensing)

### Certification

---

CE

Designed to meet the mechanical stability and safety according to IEC 60601-1 3rd Edition\*

UKCA compliant\*



# Mobile Operator Station T2000

---

## HMI

---

Equipable with single or dual screen  
Option for hinged glass or membrane keyboard

## PC/Client

---

Integrated in HMI

## I/O

---

Up to 3 x USB  
LAN

## Communication

---

Optional integration for WIFI and Bluetooth  
802.11a, b, g, n, ac, ax (WIFI 6) and Bluetooth 5.1 (Windows 10)  
802.11a, b, g, n, ac and Bluetooth 5.0 (compatible with Windows 7 / 8 / 10)

## Height adjustment

---

Electric height adjustment for both seated and standing operation

## Power

---

Integrated app. 650Wh battery (Fixed installation)  
Powered by 90 to 264V AC  
Power AC cable, 5 meters

## Accessories Included

---

Power cable  
LAN cable

## Accessories Optional

---

Stainless steel scanner bracket

## Dimension and Weight

---



# Mobile Operator Station T2000

---

Max height (with single HMI)	170cm
Max width (with single HMI)	58cm
Max depth (with single HMI)	70cm
	App. 60kg with single HMI*
Weight	App. 80kg with dual HMI*
	*Excluding battery

## Warranty and After Sales Support

---

Standard 1 year (option for 3 years) including batteries

